



NURIKON®

Dental 
Products 
Catalog 

A Continuing Story Of Evolving Craftsmanship, Precision And Quality



STAR pliers:

stands for:
unrivalled performance and
aesthetic enlightenment.

"individually hand crafted"

The STAR pliers are crafted as a solid piece of stainless steel by forged engineering using 420 grade stainless steel.. An utmost care is taken to eliminate the possible chip-offs and related problems of forgings.

The high quality surgical grade stainless steel used in crafting of STAR pliers is able to withstand the extreme stresses of repeated sterilization , also ensuring longevity of functional life.

Non-glare (satin finish) which provides the precise treatment.

Smooth and contoured edges for increased user comfort and enhanced tactile transfer.

Tungsten Carbide inserts to the cutters for extended durability and superior performance.

Diamond-honed edges on the cutters.


The size, shape, length, weight and design of the handles of the STAR pliers combined with precise machining provide ergonomically enhanced comfort to the working hands and aesthetic enlightenment to the eyes of the orthodontist. It ensures high quality treatment to the patient and personal triumph to the orthodontist.

The engineering and craftsmanship of STAR pliers is un-matched in the industry, most probably.

5-year warranty against defective material and craftsmanship.

ORTHODONTIC PLIERS & DENTAL IMPLANT INSTRUMENTS

Individually
Hand Crafted



STAR SERIES PLIERS



Bird Beak Plier
NK-701



Bird Beak Plier, SHORT
NK-702



Light Wire Plier
NK-703



Tweed Loop Plier
NK-705



Tweed Arch Bending
Plier, 1.9mm
NK-706 A
NK-706 B. 1.2mm



The precision aligned tips
ensure consistent bends.
Gradually tapered for
delicate bending.
Also used for bending
orthopedic appliances

*For wires up to .36"
(0.91 mm).*

Three Jaw Plier
NK-708



Stop / V-Bend Plier
NK-709



Direct Bond Angled
NK-710



STAR SERIES PLIERS



Excellent for precise bending of light wires. 3 sets of precision grooves assure accurate bending and closing loops.
Wires up to .020" (0.51 mm).

Jarabak Plier

NK-711



Weingart Plier, Delicate

NK-712



Weingart Plier

NK-713



Weingart Plier, 45 Angled

NK-714



How Plier

NK-715



How Plier 45 Angled

NK-716



Ideal for forming and contouring archwires.



For Round wire up to
.014" x .036" (0.35 x 0.91 mm)



For Rectangular wire up to
.022" x .028" (0.56 x 0.71 mm)

Hollow Chop Plier

NK-719



Wire Contouring Plier

NK-720



STAR SERIES PLIERS



Designed for placement and securing of crimpable archwire hooks and power hooks.

Hook Crimping Plier

NK721



Will remove band with maximum patient comfort. The steel tip is in the middle of the pad for easy band removal using simple pressure.

Posterior Band Remover

NK-723



Designed for quick and comfortable removal of direct bond brackets. It will also remove adhesive from the tooth.

Direct Bond Bracket Remover, Straight

NK-724



Double sided offset beak forms bayonet bends. Produces right hand or left hand, step-up or step-down at $\frac{1}{4}$, $\frac{1}{2}$, $\frac{3}{4}$ or 1 mm increments.


Detailing Plier

NK-725-25 1/4mm

NK-725-50 1/2mm

NK-725-75 3/4 mm

NK-725-100 1mm



Distal End Cutter with safety hold, TC

NK-731



Flush Cut Plier, TC

NK-732



Provided with tungsten carbide inserts to provide the extra hardness required for cutting all sizes and types of archwires.



For Rectangular wire up to .022" x .028" (0.56 x 0.71 mm)



For Round wire up to .020" (0.51 mm)

Hard Wire Cutter, TC

NK-733



Designed for easy and efficient cutting of pins and ligatures. The cutting edges are diamond-honed.



For Soft wire up to .015" (0.40 mm)

Pin & Ligature Cutter, TC

NK-734

Designed as a miniature ligature cutter. The tips are very fine for easy access into difficult areas of the mouth.



For Soft wire up to .015" (0.40 mm)

Mini Pin & Ligature Cutter, TC

NK-735



TISSUE PUNCHES

Tissue Punches Straight

6.0mm



N-1044-6S 6.0mm

N-1044-5S 5.0mm

N-1044-4S 4.0mm

N-1044-3S 3.0mm

Tissue Punches Curved

6.0mm



N-1044-6C 6.0mm

N-1044-5C 5.0mm

N-1044-4C 4.0mm

N-1044-3C 3.0mm

Rotatory Tissue Punches

7.0mm



N-1042
700

6.0mm



N-1042
600

5.0mm



N-1042
500

4.0mm



N-1042
400

5.5mm



N-1043
550

5.0mm



N-1043
500

4.5mm



N-1043
450

4.0mm



N-1043
400

3.5mm




N-1043
350



DENTAL IMPLANT INSTRUMENTS

Bone Grafting Syringes 17 cm



N-1045-25 C
Curved syringe,
Size: 2.5 mm



N-1045-35 C
Curved syringe,
Size: 3.5 mm



N-1045-45 C
Curved
syringe,
Size: 4.5 mm



N-1045-60 C
Curved
syringe,
Size: 6.0 mm

Torque Wrench

Different pocket sizes are available:
4.0mm; 5.1mm; 6.35mm

N-1028-4
N-1028-51
N-1028635




DENTAL IMPLANT INSTRUMENTS



Bone Mill N-1014 with Titanium parts

- * Designed for easy crushing of cortical autogenous bone;
- * easy assembly and cleaning;
- * Bone collected in an easy to use dish, with no loss of Bone material.



Bone Graft Mixing Dishes

- N-1041 S (small)
- N-1041 L (large)

Torque Ratchet Wrench N-1030 Octagonal

Torque Ratchet Wrench N-1030 Hexagonal

The following pocket sizes are available:

4.0; 5.1; 6.35 mm

Inter-chnageable Torque Settings:

10-20-30-40-50-60 N cm

Catalogue Numbers:

N-1030-400

N-1030-510

N-1030-635

Options: Hexagonal or Octagonal

The relevant drivers also available.




Sterilization Boxes with different number of holes , used for burs; trephines; tissue punches etc.

N-42-6 (six holes) as shown here.



DENTAL INSTRUMENTS



DENTAL KITS & OTHER DENTAL INSTRUMENTS

Various dental kits / sets are available on demand
like Basic Examination sets etc.

Dental Exam. Set
of 5 Instruments

With detachable lids
for 7 instruments
N-02-D7



Excavator
36/37
N-616



Explorer
Double
ended
N-605



Mirror Handle
N-602



(CP-8) N-627

Tweezer /
Dressing Plier
N-601



EXPLORERS & PROBES



(#23-#17)
Double
Ended
Explorer
Model No.
N-605

Double
Ended
Explorer
Model No.
N-609

(3) Single
Ended
Explorer
Model No.
N-606

(3A) Single
Ended
Explorer
Model No.
N-607

Single
Ended
Explorer
Model No.
N-608

(6L) Single
Ended
Explorer
Model No.
N-638

(0.9) Single
Ended
Explorer
Model No.
N-639

Single
Ended
Explorer
Model No.
N-640



NERVE SPREADERS & PLUGGERS/CONDENSERS

Measurements are taken 1 mm from the point



Mirror Handle
Model No. N-602



Mirror Handle
Model No. N-603



Cone Socket
Mirror Handle
Model No. N-604



(11A) Model No. N-633




(12A) Model No. N-634



Model No. N-635



Model No. N-636



Heidemann Spatula

Model No. N-637-A (2mm)
Model No. N-637-B (2.5mm)
Model No. N-637-C (3mm)



EXCAVATORS

36/37
Model No.
N-616



61/62
Model No.
N-621



63/64
Model No.
N-622



65/66
Model No.
N-623



Model No.
N-624-A



Model No.
N-624-B



Model No.
N-624-C



Oval Spoons

Model No.
N-617 (17W)



Model No.
N-618 (18W)




Model No.
N-619 (19W)



English Patterns

Model No.
N-620-A



Model No.
N-620-B



Model No.
N-620-C



Model No.
N-620-D



Model No.
N-620-E



SCALERS AND UNIVERSAL CURETTES

Jacquette
Model No.
EG - 30/33



Jacquette
Model No.
EG - 31/32



Jacquette
Model No.
EG - 34/35



Jacquette
Model No.
EG - 37/38



Taylor
Model No.
EG - 2/3



Crane-Kaplan
Model No.
EG - CK 6



Younger Good
Model No.
EG - 7/8



Towner-Jacquette
Model No.
EG - 15/33



Towner-Jacquette
Model No.
EG - 15/30



The Straight Sickle Scaler

There are two cutting edges on a straight blade that end in a sharp point. Also known as "Jacquette Scaler".




The Curved Sickle Scaler

There are two cutting edges on a curved blade that end in a sharp point.

After Five™ Curettes

- Elongated by 3mm to access deep periodontal pockets and root surfaces of 5mm or more.
- Thinned blade to ease gingival insertion and reduce tissue distention.
- Area-specific design patterned after the basic Graceys offers exact adaptation and control.
- Available in Rigid design for greater strength when needed.



GRACEY CURETTES

Gracey
Model No.
EG - 1/2



Gracey
Model No.
EG - 3/4



Gracey
Model No.
EG - 5/6



Gracey
Model No.
EG - 7/8




Gracey
Model No.
EG - 9/10



Gracey
Model No.
EG - 11/12



Gracey
Model No.
EG - 13/14



Gracey Curette


The blades are sharpened only on one side, blade at 70°, to the shank, with a rounded toe. These area specific and target-aimed curettes are designed to adapt to a specific area or tooth surface.

Characteristics of Gracey Curettes

- Used for sub-gingival curettage such as removal of calculus, tissue debris and infected tissue from gingival areas.
- Area specific to carry out deep scaling and root planning. The "Offset" blade provides a perfect working angulation for the tooth surface.
- The unique angulation provides only one cutting edge on each blade to be used.
- Blade is curved in two planes which augments adaptability in the working area and also reduces tissues edema.

Mini Five™ Curettes

- Elongated by 3mm to access deep periodontal pockets and root surfaces of 5mm or more.



- Reduced blade, half the length of the After-Five or standard Gracey, for better adaptation in narrow pockets and furcations.
- Thinned blade to ease gingival insertion and reduce tissue distention.
- Area-specific design patterned after the basic Graceys offers exact adaptation and control.
- Available in Rigid design for greater strength when needed.



DRESSING PLIERS / DENTAL TWEEZERS



**Tweezer/
Dressing Plier
Model No.
N-601**



**Meriam
Tweezer
Model No.
601-F**



**Fine Point
Tweezer
Model No.
601-E**



**Meriam
Tweezer
Model No.
601-B**



**Small Probe
Tweezer
Model No.
601-H**



**Large Probe
Tweezer
Model No.
601-G**



**College
Tweezer
Model No.
601-A**



**College Tweezer
with lock
Model No.
601-L**



**Articulating
Paper Forceps
(Miltex pattern)
Model No. N-691**



**Articulating
Paper Forceps
Model No. N-692**



**Articulating
Paper Forceps
Model No. N-693**



**Articulating
Paper Forceps
Curved
Model No. N-694**



LABORATORY INSTRUMENTS



**Grittmann
Knife
Model No.
N-686**



**Fahenstock
Knife
15 cm
Model No.
N-687**



**Fahenstock
Knife
19 cm
Model No.
N-688**



**Model No.
N-689**



**Laboratory
Spatula
Model No.
N-690-A**



**Laboratory
Spatula
Model No.
N-690-B**



**Laboratory
Spatula
Model No.
N-690-C**



ROOT ELEVATORS

Cross Bar Handle



Winter
Model No. N-701



Winter
Model No.
N-702



Winter
Model No.
N-703




Winter
Model No.
N-704



Winter
Model No.
N-705



Winter
Model No.
N-706



Winter
Model No.
N-707

Winter
Model No.
N-708



Winter
Model No.
N-709

Winter
Model No.
N-710



Krallenheber
Model No. N-711



Krallenheber
Model No. N-712



ROOT ELEVATORS



Bein
4 mm
**Model No.
N-714**

Bein
3 mm
**Model No.
N-713**



Bein
3 mm
**Model No.
N-716**

Bein
2 mm
**Model No.
N-715**



Bein
4 mm
**Model No.
N-717**



Heber-Bajonett
Mesial
4 mm
**Model No.
N-719**

Heber-Bajonett
Distal
4 mm
**Model No.
N-718**



Bein
2 mm
**Model No.
N-720**



Bein
3 mm
**Model No.
N-721**



Bein
4 mm
**Model No.
N-722**



Bein-Bajonett
3 mm
**Model No.
N-723**



Bein-Bajonett
4 mm
**Model No.
N-724**



ROOT ELEVATORS



London Hospital
4 mm
Model No.
N-730

London Hospital
4 mm
Model No.
N-729



Coleman
4 mm
Model No.
N-731



Hylin
3 mm
Model No.
N-734

Hylin
3 mm
Model No.
N-733



Hylin
3 mm
Model No.
N-736

Hylin
4.5 mm
Model No.
N-735



Seldin 4R
Model No.
N-738



Seldin 1L
Model No.
N-739



Seldin 1R
Model No.
N-740

Seldin 4L
Model No. N-737



Seldin
4 mm
Model No. N-741



Cryer with serrations
4.5 mm
Model No. N-742



ROOT ELEVATORS



Cryer 44
Small
Model No.
N-743



Cryer 45
Small
Model No.
N-744



Cryer 25
Medium
Model No.
N-745



Cryer 26
Medium
Model No.
N-746



Cryer 31
Large
Model No.
N-747



Cryer 32
Large
Model No.
N-748



Apical 302
3 mm
Model No.
N-751



Apical 303
3 mm
Model No.
N-752



Apical 301
Straight
2 mm
Model No.
N-753



Apical 304
Straight
3 mm
Model No.
N-754



ROOT ELEVATORS



Bernard
Model No.
N-756



Bernard
Model No.
N-757



Bernard
Model No.
N-758



Bernard
Model No.
N-759



Bernard
Model No.
N-760

Bernard Set

Bernard
Model No.
N-755



Kopp
3 mm
Model No.
N-725-K



Kopp
3 mm
Model No.
N-726-K

T-Bar Handle



Flohr
4 mm
Model No.
N-761



Flohr
Model No.
N-763



Flohr
Model No.
N-762



Potts 6
Model No. N-775



Potts 7
Model No. N-776



ROOT ELEVATORS



Friedmann
3 mm
Model No.
N-764



Friedmann
Model No.
N-765



Friedmann
Model No.
N-766



Heidbrink
2.5 mm
Model No.
N-767



Heidbrink
2.5 mm
Model No.
N-768



Heidbrink
2.5 mm
Model No.
N-769

Heidbrink
Model No. N-771



Heidbrink
Model No. N-772



Heidbrink
Model No. N-773



ROOT ELEVATORS

Luxating elevators are designed to preserve bone integrity and aid less traumatic tooth extractions. The Luxating elevator's sharp edge severs the periodontal ligament (PDL), compresses the surrounding alveolar bone, thus easing the tooth in its socket. It allows extraction which is less traumatic, particularly in deeply fractured teeth and decayed roots.



Luxierer

Luxierer Straight	
Model Numbers.	Luxierer Sizes.
Model N0. N-779	2 mm
Model N0. N-780	3 mm
Model N0. N-781	4 mm
Model N0. N-782	5 mm



Luxierer
Anatomical Handle

Luxierer Curved	
Model Numbers.	Luxierer Sizes.
Model N0. N-783	2 mm
Model N0. N-784	3 mm
Model N0. N-785	4 mm
Model N0. N-786	5 mm

Luxierer Straight	
Model Numbers.	Luxierer Sizes.
Model N0. N-787	2 mm
Model N0. N-788	3 mm
Model N0. N-789	4 mm
Model N0. N-790	5 mm

Luxierer Curved	
Model Numbers.	Luxierer Sizes.
Model N0. N-791	2 mm
Model N0. N-792	3 mm
Model N0. N-793	4 mm
Model N0. N-794	5 mm



NURIKON®

Traditional craftsmanship and innovative technology
merge to produce instruments of highest quality.

Our art of manufacturing has evolved over the years
which is the source of inspiration
for us and pride for the discernist user.

Our Products excel by

- Made from highest grade surgical stainless steel
- Extra Functional life.
- 5 year warranty (limited).
- Custom-made instruments aimed
for Universities and the professionals.
- Most competitive prices.

Sakina House, Nasir Road,
Sialkot - 51310, PAKISTAN
Tel: +92 - 52 - 4587527, 3510008
Fax: +92 - 52 - 4587997
URL: <http://www.nurikon.com>
E-mail: nurikonintl@gmail.com

